

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: Gregory, Richard J.
 Wills, Ken N.
 Maneval, Daniel C.
 - (ii) TITLE OF INVENTION: Recombinant Adenoviral Vector and Methods of Use
 - (iii) NUMBER OF SEQUENCES: 9
 - (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Townsend and Townsend and Crew LLP
 - (B) STREET: Two Embarcadero Center, Eighth Floor
 - (C) CITY: San Francisco
 - (D) STATE: California
 - (E) COUNTRY: USA
 - (F) ZIP: 94111-3834
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
 - (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/328,673
 - (B) FILING DATE: 25-OCT-1994
 - (C) CLASSIFICATION:
 - (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/142,669
 - (B) FILING DATE: 25-OCT-1993
 - (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/233,669
 - (B) FILING DATE: 26-AFK-1994
 - (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Smith, Timothy S.
 - (B) REGISTRATION NUMBER: 35,367
 - (C) REFERENCE/DOCKET NUMBER: 016930-000920US
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (415) 576-0200
 - (B) TELEFAX: (415) 576-0300
 - (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA

	· /	
2		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:		25
CGCCACCGAG GGACCTGAGC GAGTC		25
(2) INFORMATION FOR SEQ ID NO:2:		
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		
(ii) MOLECULE TYPE: DNA		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:		
TTCTGGGAAG GGACAGAAGA		20
(2) INFORMATION FOR SEQ ID NO:3:	•	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 25 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		
(ii) MOLECULE TYPE: DNA		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:		
CGCGCTAGCT CTGCCCCAAA GAGCT		25
(2) INFORMATION FOR SEQ ID NO:4:		
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 39 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear		
(ii) MOLECULE TYPE: DNA		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:		20
CGCGGTACCC TCGAGTCTAG ATATTGCCAG TGGTGGAAG		39
(2) INFORMATION FOR SEQ ID NO:5:		
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 35 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single		

i de la companya de l

(ii) MOLECULE IIFE. DNA												
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:												
CGTGCGGCCG CTGGAGGACT TTGAGGATGT CTGTC												
(2) INFORMATION FOR SEQ ID NO:6:												
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 												
(ii) MOLECULE TYPE: DNA												
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	22											
CGCTCTAGAG AGACCAGTTA GGAAGTTTTC GCA	33											
(2) INFORMATION FOR SEQ ID NO:7:												
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 2995 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 												
(ii) MOLECULE TYPE: cDNA												
<pre>(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1392925 (D) OTHER INFORMATION: /product= "RB" /note= "retinoblastoma tumor suppres"</pre>	sor"											
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:												
TTCCGGTTTT TCTCAGGGGA CGTTGAAATT ATTTTTGTAA CGGGAGTCGG GAGAGGACGG	60											
GGCGTGCCCC GCGTGCGCGC GCGTCGTCCT CCCCGGCGCT CCTCCACAGC TCGCTGGCTC	120											
CCGCCGCGGA AAGGCGTC ATG CCG CCC AAA ACC CCC CGA AAA ACG GCC GCC	171											
ACC GCC GCC GCT GCC GCG GAA CCC CCG GCA CCG CCG CCC CCC	219											
CCT CCT GAG GAG GAC CCA GAG CAG GAC AGC GGC CCG GAG GA	267											

							•										` .				
					•						4										•
CTC (Leu	GTC Val 45	A:	GG rg	CTT Leu	GAG Glu	TT1 Phe	: Gl	A G u G O	AA A lu T	CA (GAA Glu	GA G1	A C .u E	CT Pro 55	GAT Asp	T'	TT A	ACT (GCA Ala		315
TTA Leu 60	TGT Cys	C. G	AG ln	AAA Lys	TTA Leu	AAG Lys	5 I L	A C	CA C	ASP	CAT His	Va	rc A al A 70	AGA Arg	GAG Glu	A	GA (GCT Ala	TGG Trp 75		363
TTÅ Leu	ACT Thr	T T	GG	GAG Glu	AAA Lys	; Va	r TC l Se	CA T	CT (Ser ¹	GTG Val	GAT Asp 85	G	GA (GTA Val	TTG	G L G	TA.	GGT Gly · 90	TAT Tyr		411
ATT Ile	CA/ Gl:	A A	AG .ys	AAA Lys 95	Lys	G GA S Gl	A Ci u Le	rG :	ľrp '	GGA Gly 100	ATC Ile	T(GT . ys	ATC Ile	TT1		ATT [le LO5	GCA Ala	GCA Ala		459
GTT Val	GA(j I	CTA Leu 110	GAT Asp	GA(3 AT u Me	G T	er	TTC Phe 115	ACT Thr	TTT Phe	A T	CT hr	G AG Glu	CTA Let 120	u	CAG Gln	AAA Lys	AAC Asn		507
ATA Ile	GA Gl 12	u :	ATC Ile	AGT Ser	GT Va	С С <i>Р</i> 1 Ні	s L	AA ys 30	TTC Phe	TTT Phe	AA(Asr	T n L	TA	CTA Leu 135	AA. Ly	A (GAA Glu	ATT Ile	GAT Asp		555
ACC Thr 140	Se	T i	ACC Thr	AA/ Lys	A GT s Va	1 As	AT A sp A 15	AT .sn	GCT Ala	ATG Met	TC:	L P	AGA Arg L50	CTG Leu	TT Le	G u	AAG Lys	AAG Lys	TAT Tyr 155		603
GAT Asp	GI Va	'A	TTG Lev	TT'	r GC e Al 16	a L	rc T eu E	TC he	AGC Ser	AAA Lys	TT Le 16	u	GAA Glu	AGG Arg	AC Th	A	TGT Cys	GAA Glu 170	CTT		651
ATF	T	/r	Leu	ı Th	A CF r Gl 5	ln P	ro S	Ser	AGT Ser	TCG Ser 180	. 11	A S	TCT Ser	ACT Thi	GP Gl	LA Lu	ATA Ile 185	1101	TCT Ser		699
GC <i>I</i> Ala	A T'	rG eu	GTO Val	l Le	A AZ u L	AA G ys V	TT 3	rct Ser	TGG Trp 195	TTE	C AC	A'	TTT Phe	TT! Le:	ינו	A eu OO	GCT Ala	AAA Lys	GGG Gly	materia;	747
GA Gl	u V	TA al 05	TT.	A CA u Gl	A A' .n M	TG G et G	lu .	GAT Asp 210	GAT Asp	CT(G GI u Va	rG al	ATT Ile	TC Se 21	T E:	ΓT he	CAG	TTA Lev	A ATG 1 Met		795
CT Le 22	u C	GT ys	GT Va	C CT l Le	TT G eu A	sp 1	AT Yr 225	TTT Phe	AT1	AA.	A Ci	rc eu	TCA Ser 230		T C	CC ro	ATC Met	TTC	G CTC u Leu 235		843
AA Ly	A C	AA ilu	. CC	A T	yr L	AA 2 ys '	ACA Thr	GCT Ala	GTI Val	r AT L Il	e P	CC ro 45	ATT	r AA e As	T G n G	GT 1y	TC! Sei	A CC r Pr 25	T CGA o Arg O		891
AC Th	CA C	CCC Pro	: AG	g A	GA G rg G	GT (CAG Gln	AAC Asr	C AGO	G AG g Se 26	r A	CA la	CG(G Al	'A G .e A	GCA	AA. Ly. 26	J	A CTA n Leu	1	939
G <i>I</i> GI	AA A	IAA 12	G GA	A TA T qe	CA A	AGA Arg	ATT Ile	ATT	GA Gl 27	u Va	T C	TC eu	ТG Су	T AA s Ly	75 (5A <i>F</i> 51u 280		T GA s Gl	A TGI u Cys	3	987

AAT ATA GA Asn Ile Asp 285	GAG GTG AAA Glu Val Lys	AAT GTT TAT TTC Asn Val Tyr Phe 290	C AAA AAT TTT ATA CCT TTT e Lys Asn Phe Ile Pro Phe 295	1035
ATG AAT TC Met Asn Se 300	r CTT GGA CTT r Leu Gly Leu 305	GTA ACA TCT AAT Val Thr Ser Asi	r GGA CTT CCA GAG GTT GAA n Gly Leu Pro Glu Val Glu 310 315	1083
Asn Leu Se	r Lys Arg Tyr 320	Glu Glu IIe Ty		1131
Asp Ala Ar	g Leu Phe Leu 335	Asp His Asp Ly 340	A ACT CTT CAG ACT GAT TCT s Thr Leu Gln Thr Asp Ser 345	1179
Ile Asp Se	er Phe Glu Thr 60	355	CA CGA AAA AGT AAC CTT GAT TO Arg Lys Ser Asn Leu Asp 360	1227
Glu Glu Va 365	al Asn Val Ile	Leu Pro His II	CT CCA GTT AGG ACT GTT ATG nr Pro Val Arg Thr Val Met 375	1275
Asn Thr I 380	le Gln Gln Leu 385	Met Met lie Le	TA AAT TCA GCA AGT GAT CAA eu Asn Ser Ala Ser Asp Gln 390 395	1323
Pro Ser G	lu Asn Leu Ile 400	e Ser Tyr Phe A 4	AC AAC TGC ACA GTG AAT CCA sn Asn Cys Thr Val Asn Pro 05 410	1371
Lys Glu S	er Ile Leu Ly 415	s Arg Val Lys A 420	AT ATA GGA TAC ATC TTT AAA sp Ile Gly Tyr Ile Phe Lys 425	1419
Glu Lys F	he Ala Lys Al 30	a Val Gly Gln G 435	GGT TGT GTC GAA ATT GGA TCA Gly Cys Val Glu Ile Gly Ser 440	1467
Gln Arg 5 445	Yr Lys Leu Gl	y Val Arg Leu 1 450	TAT TAC CGA GTA ATG GAA TCC Tyr Tyr Arg Val Met Glu Ser 455	1515
Met Leu 1 460	Lys Ser Glu Gl 40	u Giu Arg Leu 3 55	TCC ATT CAA AAT TTT AGC AAA Ser Ile Gln Asn Phe Ser Lys 470 475	1563
Leu Leu	Asn Asp Asn II 480	Le Phe His Met	TCT TTA TTG GCG TGC GCT CTT Ser Leu Leu Ala Cys Ala Leu 485 490	1611
Glu Val	Val Met Ala T 495	or Tyr Ser Arg 500	AGT ACA TCT CAG AAT CTT GAT Ser Thr Ser Gln Asn Leu Asp 505	1659
TCT GGA Ser Gly	ACA GAT TTG T Thr Asp Leu S 510	CT TTC CCA TGG er Phe Pro Trp 515	ATT CTG AAT GTG CTT AAT TTA Ile Leu Asn Val Leu Asn Leu 520	1707

AAA (Lys !	GCC Ala 525	E	TT he	GAT Asp	TTT Phe	TAC Ty:	C AA r Ly 53	rs Va	G A	rc G le G	AA A	AGT Ser	TT Ph 53	C 1.	IC A	AAA Lys	GCA Ala	. G	AA lu	1755	
GGC Gly	AA(Ası	n I	TTG Leu	ACA Thr	AGA Arg	GA. G1 54	u Me	G AT	ra A le L	AA (ys f	112	TTA Leu 550	01	A C u A	GA rg	TGT Cys	GAA Glu	1 H 5	AT is	1803	
CGA Arg	AT(C A	ATG Met	GAA Glu	TCC Ser 560	. Le	T GO u A	CA TO	GG C rp L	eu i	rcA Ser 565	GAT Asp	TC Se	CA C	CT ro	TTA Leu	TT: Phe 570	r	AT Asp	1851	
CTT Leu	AT Il	T .	AAA Lys	CAA Gln 575	Se:	A AA r Ly	G G s A	AC C sp A	rg G	AA Slu 880	GGA Gly	CCA Pro	A A(or A	ASP	CAC His 585		r (GAA Glu	1899	
TCT Ser	GC Al	T .a	TGT Cys 590	Pro	CT Le	T AF u As	AT C	eu E	CT (Pro 1 595	CTC Leu	CAG Gln	AA'l Ası	r A n A	311 1	CAC His 600	ACT Thr	GC Al	A (GCA Ala	1947	
GAT Asp	Mε	rG et	TAT Tyr	CT:	TC 1 Se	T Co	ro V	TA F Val F 510	AGA ' Arg	TCT Ser	CCA Pro	AA(3 L	AA ys 15	AAA Lys	GG1 Gly	TC Se	A	ACT Thr	1995	i
ACG Thr 620	A	GT rg	GTA Val	A AA As	T TC n Se	er T	CT (hr <i>1</i> 25	GCA A	AAT Asn	GCA Ala	GAG Glu	AC Th 63		AA In	GCA Ala	ACC Thi	C TC	A	GCC Ala 635	2043	3
		AG 1n	AC(C CA	n L	AG C ys P 40	CA '	TTG Leu	AAA Lys	TCT Ser	ACC Thr 645	. 50	T (CTT Leu	TCA Ser	A CT	G T' u Pl 6	rr ne 50	TAT Tyr	209	1
AAF Lys	A A s L	AA ys	GT Va	G TA 1 Ty 65	r A	GG C rg I	CTA Leu	GCC Ala	TAT Tyr	CTC Leu 660	ALC	G CI g L∈	CA A	AAT Asn	AC <i>I</i> Thi	A CT r Le 66	T T u C 5	GT ys	GAA Glu	213	9
Ar	g L	eu	Le 67	u Se	CT G er G	AG (CAC	CCA Pro	GAA Glu 675	TTA Leu	GAZ	A C <i>l</i> u H:	AT is	ATC Ile	ATO		G A	CC hr	CTT	218	7
TT Ph	c c		G CA n Hi	C AC	CC C	TG (Leu	CAG Gln	AAT Asn 690	GAG Glu	ТАЛ Туг	GA Gl	A C' u L	TC eu	ATG Met 695		A GA	AC A	.GG .rg	CAT His	223	5
TT Le 70	u i	GA(Ası	C CF p G1	AA A Ln I	TT F	1et	ATG Met 705	Cys	TCC Ser	AT(G TA	ı u	GC ly 10	ATA Ile	TG Cy	C A	AA (ys ¹	TG /al	AAG Lys 715	228	33
A.A.S	T.	AT.	A GA	AC C sp L	eu !	AAA Lys 720	TTC Phe	AAA Lys	ATC Ile	AT	T GI e Va 72		CA hr	GCA Ala	A TA	AC A	AG (GAT Asp 73(CTT Leu	23	31
C(Pi	CT ro	CA Hi	T G	la \	GTT Val	CAG Gln	GAG Glu	ACA Thr	TTC Phe	C. AA e Ly 74	S A.	GT (STT Val	TT(G A'	rc A le L 7	AA ys 45	GA Gl	A GAG u Glu	; 23	79
G G	AG lu	TA Ty	r A	AT S	rcT Ser	ATT Ile	ATA	GTA Val	A TTC L Ph	S 17	T A	AC S	TCG Ser	GT Va		TC F he N 60	ATG 1et	CA Gl	G AGA n Arq	A 24	27

Leu	AAA Lys 765	ACA Thr	AAT Asn	ATT Ile	TTG Leu	CAG Gln 770	TAT Tyr	GCT Ala	TCC Ser	ACC Thr	AGG Arg 775	CCC Pro	CCT Pro	ACC Thr	TTG Leu	2475
TCA Ser 780	CCA Pro	ATA Ile	CCT Pro	CAC His	ATT Ile 785	CCT Pro	CGA Arg	AGC Ser	CCT Pro	TAC Tyr 790	AAG Lys	TTT Phe	CCT Pro	AGT Ser	TCA Ser 795	2523
CCC Pro	TTA Leu	CGG Arg	ATT Ile	CCT Pro 800	GGA Gly	GGG Gly	AAC Asn	ATC Ile	TAT Tyr 805	ATT Ile	TCA Ser	CCC Pro	CTG Leu	AAG Lys 810	AGT Ser	2571
CCA Pro	TAT Tyr	AAA Lys	ATT Ile 815	Ser	GAA Glu	GGT Gly	CTG Leu	CCA Pro 820	ACA Thr	CCA Pro	ACA Thr	AAA Lys	ATG Met 825	ACT Thr	CCA Pro	2619
AGA Arg	TCA Ser	AGA Arg 830	Ile	TTA Leu	GTA Val	TCA Ser	ATT Ile 835	GGT Gly	GAA Glu	TCA Ser	TTC Phe	GGG Gly 840	TILL	TCT Ser	GAG Glu	2667
AAG Lys	TTC Phe 845	Glr	AAA Lys	ATA	AAT Asn	CAG Gln 850	. Met	GTA Val	TGT Cys	AAC Asr	AGC Ser 855	. Ash	CGT Arg	GTG Val	CTC Leu	2715
AAA Lys 860	AGA Arg	7.00	GCT Ala	GAZ a Glu	GGA 1 Gly 865	, Ser	AAC Asn	CCT	CCT Pro	AA/ Lys 870	. ET	A CTG	AAA 1 Lys	A AAF S Lys	CTA Leu 875	
		GA Asj	r ATT	F GAA	ı Gl	A ȚC <i>I</i> Y Sei	A GAT	GAF	A GCA a Ala 885	a AS	r GG/ p Gl	A AGT y Ser	r AA <i>l</i> c Lys	A CAT S His	r CTC s Leu O	2811
CC! Pro	A GGA	A GA y Gl	G TCO u Se 89	r Ly	A TT' s Ph	r CAG e Gli	G CAG	AAA n Ly: 900	s re	G GC u Al	A GA a Gl	A ATO	G AC' t Th: 90		r ACI r Thr	r 2859 r
Ar	g Th	r Ar 91	g Me	G CA t Gl	A AA n Ly	G CA	G AA n Ly 91	s Me	G AA t As	T GA n As	T AG p Se	C AT r Me 92	0	p	C TCA	A 2907
AA As	C AA	G GA	A GA u Gl	G AA u Ly	A TG	AGGA	тстс	AGG	ACCT	TGG	TGGA	CACT	GT G		CCTC	
GG	ATTC	ATTO	TCI	CTCP	CAG	ATGT	GACT	GA T	TA			,				2995

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 928 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Pro Pro Lys Thr Pro Arg Lys Thr Ala Ala Thr Ala Ala Ala Ala 1 1 5 15

~

- Ala Ala Glu Pro Pro Ala Pro Pro Pro Pro Pro Pro Pro Glu Glu Asp 20 25 30
- Pro Glu Gln Asp Ser Gly Pro Glu Asp Leu Pro Leu Val Arg Leu Glu 35 40 45
- Phe Glu Glu Thr Glu Glu Pro Asp Phe Thr Ala Leu Cys Gln Lys Leu 50 60
- Lys Ile Pro Asp His Val Arg Glu Arg Ala Trp Leu Thr Trp Glu Lys 65 70 75 80
- Val Ser Ser Val Asp Gly Val Leu Gly Gly Tyr Ile Gln Lys Lys 85 90 95
- Glu Leu Trp Gly Ile Cys Ile Phe Ile Ala Ala Val Asp Leu Asp Glu 100 105 110
- Met Ser Phe Thr Phe Thr Glu Leu Gln Lys Asn Ile Glu Ile Ser Val 115 120 125
- His Lys Phe Phe Asn Leu Leu Lys Glu Ile Asp Thr Ser Thr Lys Val 130 135
- Asp Asn Ala Met Ser Arg Leu Leu Lys Lys Tyr Asp Val Leu Phe Ala 145 150 155 160
- Leu Phe Ser Lys Leu Glu Arg Thr Cys Glu Leu Ile Tyr Leu Thr Gln
 165 170 175
- Pro Ser Ser Ser Ile Ser Thr Glu Ile Asn Ser Ala Leu Val Leu Lys 180 185 190
- Val Ser Trp Ile Thr Phe Leu Leu Ala Lys Gly Glu Val Leu Gln Met 195 200 205
- Glu Asp Asp Leu Val Ile Ser Phe Gln Leu Met Leu Cys Val Leu Asp 210 215
- Tyr Phe Ile Lys Leaster Pro Pro Met Leu Leu Lys Glu Pro Tyr Lys 225 230 235
- Thr Ala Val Ile Pro Ile Asn Gly Ser Pro Arg Thr Pro Arg Arg Gly 245 250 255
- Gln Asn Arg Ser Ala Arg Ile Ala Lys Gln Leu Glu Asn Asp Thr Arg 260 265 270
- Ile Ile Glu Val Leu Cys Lys Glu His Glu Cys Asn Ile Asp Glu Val 275 280 285
- Lys Asn Val Tyr Phe Lys Asn Phe Ile Pro Phe Met Asn Ser Leu Gly 290 295
- Leu Val Thr Ser Asn Gly Leu Pro Glu Val Glu Asn Leu Ser Lys Arg 305 310 315 320
- Tyr Glu Glu Ile Tyr Leu Lys Asn Lys Asp Leu Asp Ala Arg Leu Phe 325 330 335

- Leu Asp His Asp Lys Thr Leu Gln Thr Asp Ser Ile Asp Ser Phe Glu
 340 345 350
- Thr Gln Arg Thr Pro Arg Lys Ser Asn Leu Asp Glu Glu Val Asn Val 355
- Ile Leu Pro His Thr Pro Val Arg Thr Val Met Asn Thr Ile Gln Gln 370 375
- Leu Met Met Ile Leu Asn Ser Ala Ser Asp Gln Pro Ser Glu Asn Leu 385 390 395
- Ile Ser Tyr Phe Asn Asn Cys Thr Val Asn Pro Lys Glu Ser Ile Leu 405 410 415
- Lys Arg Val Lys Asp Ile Gly Tyr Ile Phe Lys Glu Lys Phe Ala Lys 420 425 430
- Ala Val Gly Gln Gly Cys Val Glu Ile Gly Ser Gln Arg Tyr Lys Leu 435
- Gly Val Arg Leu Tyr Tyr Arg Val Met Glu Ser Met Leu Lys Ser Glu 450 455
- Glu Glu Arg Leu Ser Ile Gln Asn Phe Ser Lys Leu Leu Asn Asp Asn 465 470 475
- Ile Phe His Met Ser Leu Leu Ala Cys Ala Leu Glu Val Val Met Ala 495
- Thr Tyr Ser Arg Ser Thr Ser Gln Asn Leu Asp Ser Gly Thr Asp Leu 500 505 510
- Ser Phe Pro Trp Ile Leu Asn Val Leu Asn Leu Lys Ala Phe Asp Phe 515 520 525
- Tyr Lys Val Ile Glu Ser Phe Ile Lys Ala Glu Gly Asn Leu Thr Arg 530 535
- Glu Met Ilectrockies Leu Glu Arg Cys Glu His Arg Ile Met Glu Ser 545 550 550
- Leu Ala Trp Leu Ser Asp Ser Pro Leu Phe Asp Leu Ile Lys Gln Ser 565
- Lys Asp Arg Glu Gly Pro Thr Asp His Leu Glu Ser Ala Cys Pro Leu 580 585
- Asn Leu Pro Leu Gln Asn Asn His Thr Ala Ala Asp Met Tyr Leu Ser 595 600
- Pro Val Arg Ser Pro Lys Lys Gly Ser Thr Thr Arg Val Asn Ser 610 620
- Thr Ala Asn Ala Glu Thr Gln Ala Thr Ser Ala Phe Gln Thr Gln Lys 625 630 630
- Pro Leu Lys Ser Thr Ser Leu Ser Leu Phe Tyr Lys Lys Val Tyr Arg 645 650 655

- Leu Ala Tyr Leu Arg Leu Asn Thr Leu Cys Glu Arg Leu Leu Ser Glu 660 665 670
- His Pro Glu Leu Glu His Ile Ile Trp Thr Leu Phe Gln His Thr Leu 675 680 685
- Gln Asn Glu Tyr Glu Leu Met Arg Asp Arg His Leu Asp Gln Ile Met 690 695 700
- Met Cys Ser Met Tyr Gly Ile Cys Lys Val Lys Asn Ile Asp Leu Lys 705 710 715 720
- Phe Lys Ile Ile Val Thr Ala Tyr Lys Asp Leu Pro His Ala Val Gln 725 730 735
- Glu Thr Phe Lys Arg Val Leu Ile Lys Glu Glu Glu Tyr Asp Ser Ile 740 745 750
- Ile Val Phe Tyr Asn Ser Val Phe Met Gln Arg Leu Lys Thr Asn Ile 755 760 765
- Leu Gln Tyr Ala Ser Thr Arg Pro Pro Thr Leu Ser Pro Ile Pro His 770 780
- Ile Pro Arg Ser Pro Tyr Lys Phe Pro Ser Ser Pro Leu Arg Ile Pro 785 790 795
- Gly Gly Asn Ile Tyr Ile Ser Pro Leu Lys Ser Pro Tyr Lys Ile Ser 815
- Glu Gly Leu Pro Thr Pro Thr Lys Met Thr Pro Arg Ser Arg Ile Leu 820 825
- Val Ser Ile Gly Glu Ser Phe Gly Thr Ser Glu Lys Phe Gln Lys Ile 835
- Asn Gln Met Val Cys Asn Ser Asp Arg Val Leu Lys Arg Ser Ala Glu 850 855
- Gly Ser Asn Pro Pro Lys Pro Leu Lys Leu Arg Phe Asp Ile Glu 865 870 875
- Gly Ser Asp Glu Ala Asp Gly Ser Lys His Leu Pro Gly Glu Ser Lys 885 890 895
- Phe Gln Gln Lys Leu Ala Glu Met Thr Ser Thr Arg Thr Arg Met Gln 900 905
- Lys Gln Lys Met Asn Asp Ser Met Asp Thr Ser Asn Lys Glu Glu Lys 915

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 393 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

(ix) FEATURE:

- (A) NAME/KEY: Protein
- (B) LOCATION: 1..393
- (D) OTHER INFORMATION: /note= "human p53"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:
- Met Glu Glu Pro Gln Ser Asp Pro Ser Val Glu Pro Pro Leu Ser Gln
- Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro Glu Asn Asn Val Leu
- Ser Pro Leu Pro Ser Gln Ala Met Asp Asp Leu Met Leu Ser Pro Asp
- Asp Ile Glu Gln Trp Phe Thr Glu Asp Pro Gly Pro Asp Glu Ala Pro
- Arg Met Pro Glu Ala Ala Pro Pro Val Ala Pro Ala Pro Ala Ala Pro
- Thr Pro Ala Ala Pro Ala Pro Ala Pro Ser Trp Pro Leu Ser Ser
- Val Pro Ser Gln Lys Thr Tyr Gln Gly Ser Tyr Gly Phe Arg Leu Gly 105 100
- Phe Leu His Ser Gly Thr Ala Lys Ser Val Thr Cys Thr Tyr Ser Pro 115
- Ala Leu Asn Lys Met Phe Cys Gln Leu Ala Lys Thr Cys Pro Val Gln 135
- Leu Trp Val Asp Ser Thr Pro Pro Pro Gly Thr Arg Val Arg Ala Met 150 145
- Ala Ile Tyr Lys Gln Ser Gln His Met Thr Glu Val Val Arg Arg Cys 170 165 -- -----
- Pro His His Glu Arg Cys Ser Asp Ser Asp Gly Leu Ala Pro Pro Gln
- His Leu Ile Arg Val Glu Gly Asn Leu Arg Val Glu Tyr Leu Asp Asp 200
- Arg Asn Thr Phe Arg His Ser Val Val Val Pro Tyr Glu Pro Pro Glu
- Val Gly Ser Asp Cys Thr Thr Ile His Tyr Asn Tyr Met Cys Asn Ser 230
- Ser Cys Met Gly Gly Met Asn Arg Arg Pro Ile Leu Thr Ile Ile Thr 245
- Leu Glu Asp Ser Ser Gly Asn Leu Leu Gly Arg Asn Ser Phe Glu Val 265
- Arg Val Cys Ala Cys Pro Gly Arg Asp Arg Arg Thr Glu Glu Glu Asn 280

- Leu Arg Lys Lys Gly Glu Pro His His Glu Leu Pro Pro Gly Ser Thr 290 295
- Lys Arg Ala Leu Pro Asn Asn Thr Ser Ser Ser Pro Gln Pro Lys Lys 305 310 315
- Lys Pro Leu Asp Gly Glu Tyr Phe Thr Leu Gln Ile Arg Gly Arg Glu 325
- Arg Phe Glu Met Phe Arg Glu Leu Asn Glu Ala Leu Glu Leu Lys Asp 340 345
- Ala Gln Ala Gly Lys Glu Pro Gly Gly Ser Arg Ala His Ser Ser His 355
- Leu Lys Ser Lys Lys Gly Gln Ser Thr Ser Arg His Lys Lys Leu Met 370

Phe Lys Thr Glu Gly Pro Asp Ser Asp 385